REV	REVISION DETAILS	ECO	DATE	BY	ABY
0	INITIAL RELEASE	NP-1868	06-13-2019	JJW	JML

A

ISO VIEW
FOR REF ONLY

B

△ CRITICAL DIMENSIONS ON FEATURES TO BE CHECKED DURING ANY SET-UP ADJUSTMENTS, TOOL CHANGES, OR ANNUAL MAINTENANCE ON TOOLING.

◯ DIMENSIONS OR FEATURES TO BE CHECKED FROM RUN-TO-RUN

TOLERANCES UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION

ANGULAR TOL= ±2°
FRACTION TOL= ±1/64 IN

| METRIC TOL	ENGLISH TOL
1 PL DEC. = ±.25	2 PL DEC. = ±.01
2 PL DEC. = ±.13	3 PL DEC. = ±.005

DIMENSIONS INSIDE PARENTHESES OR CONTAINING "REF" ARE FOR REFERENCE ONLY.

GEP POWER PRODUCTS
16830 Pheasant Drive
Brookfield, WI 53005

PART NO: SC49-2000A-A008 (SALES)

DESCRIPTION: STUD BLOCK - DUAL M8-1.25, RED

CUSTOMER: STANDARD

METRIC (MM)

	REV	SHEET	SCALE	SIZE
METRIC (MM)	0	1 OF 2	1:2	A

(23.0)

2X (Ø5.6)

(20.3)

(76.2) (63.5)

(85.6)

(43.3)

(90.2)

2X M8 X 1.25

(28.3)

(46.6)

(53.4)

(3.2)

(9.9)

(11.9)

NOTES:
1. BASE MATERIAL: 33% GLASS FILLED NYLON
2. BASE COLOR: BLACK
3. COVER MATERIAL: NYLON
4. COVER COLOR: RED
5. STUD MATERIAL: STEEL - ZINC/NICKEL PLATED
6. MAXIMUM STUD TORQUE: 20Nm (15FT-LBS)